

TRANSPOCKET 150 TRANSPOCKET 180

As versatile as its tasks



EQUIPPED FOR ANY WELDING TASK, NO MATTER WHAT HAPPENS!

Every welding task is different. The seam must be able to withstand any load and every weather conditions, regardless whether you are deep underground or perched at a lofty height. And regardless of whether you have access to a stable grid or energy is being supplied by a generator. Guaranteeing consistent seam quality in confined spaces and adverse conditions is only possible with the right welding system. Whether conditions are dusty or damp, the focus is always on the weld seam.

What's your welding challenge?





TRANSPOCKET – ADVANTAGES AT A GLANCE



EXCELLENT IGNITION PROPERTIES AND HIGH ARC STABILITY

/ No electrode adhesion during ignition procedure
/ Generator-powered operation possible with long mains lead
/ Welding parameters for cellulose electrodes can be selected
/ Manual metal arc pulse welding

LOW WEIGHT AND ROBUST CONSTRUCTION

/ TransPocket 150: 365 x 130 x 185 mm, 6.3 kg / TransPocket 180: 435 x 160 x 310 mm, 8.9 kg / Robust interior for long service life / Plastic housing protects against any environmental

influences (IP 23)



CONSISTENTLY HIGH WELDING QUALITY WITH PFC

- / Stable arc and low spattering thanks to digital resonance inverter technology
- / Ideal usage of existing power supply through PFC technology (Power Factor Correction)
- / Mains leads of up to 100 meters in length
- / Voltage fluctuation compensation for high arc stability



WIDE RANGE OF VARIANTS WITH ADDITIONAL OPTIONS

- / Available as a multivoltage variant (MV)
- / TIG variants: TIG pulse welding up to 1 kHz, 2-step or 4-step mode and TAC tacking are possible; there is also an integrated Up/Down function
- / Can be controlled as an RC variant with remote control
- / Update possible for further functionalities



TECHNICAL DATA

	TP 150/TP 150 TIG/TP 150 RC	TP 180/TP 180 TIG/TP 180 RC	TP 180 MV		
Grid voltage -20%/+15%, 50/60 Hz/	230 V		230 V	120 V (20 A)	120 V (15 A)
Power consumption	5.52 kVA	5.75 kVA	5.75 kVA	3.48 kVA	2.28 kVA
Cos phi	0.99 (150 A)	0.99 (180 A)	0.99 (180 A)		
Efficiency	88% (at 90 A)	89% (at 120 A)	89% (at 120 A)		
Welding current range Electrode TIG	10–150 A 10–150 A	10–180 A 10–220 A	10–180 A 10–220 A	10–120 A 10–170 A	10–85 A 10–140 A
Electrode/welding current range at 10 min/40°C (104°F)	150 A (35% DC) 110 A (60% DC) 90 A (100% DC)	180 A (40% DC) 150 A (60% DC) 120 A (100% DC)	180 A (40% DC) 150 A (60% DC) 120 A (100% DC)	120 A (40% DC) 100 A (60% DC) 90 A (100% DC)	85 A (40% DC) 70 A (60% DC) 65 A (100% DC)
TIG/welding current range at 10 min/40°C (104°F)	150 A (35% DC) 110 A (60% DC) 90 A (100% DC)	220 A (40% DC) 150 A (60% DC) 120 A (100% DC)	220 A (40% DC) 160 A (60% DC) 130 A (100% DC)	170 A (40% DC) 130 A (60% DC) 100 A (100% DC)	140 A (40% DC) 110 A (60% DC) 100 A (100% DC)
Open circuit voltage	96 V		101 V		
Working voltage Electrode TIG	20.4–26.0 V 10.4–16.0 V		20.4–27.2 V 10.4–18.8 V		
Protection class	IP 23				
Type of cooling	AF/A				
Dimensions l/w/h	365/130/285 mm 14.4/5.1/11.2 in.	435/160/310 mm 17.1/6.3/12.2 in.			
Weight	6.3 kg 13.9 lb	8.9 kg 19.6 lb			
EMC	Emissions class A				

/ Perfect Welding / Solar Energy / Perfect Charging

Fronius Canada Ltd.

Fax +1 905 288-2101

www.fronius.ca

Canada

Mississauga, ON L5N 8G6

Telephone +1 905 288-2100

sales.canada@fronius.com

2875 Argentia Road, Units 4,5 & 6

THREE BUSINESS UNITS, ONE GOAL: TO SET THE STANDARD THROUGH TECHNOLOGICAL ADVANCEMENT.

What began in 1945 as a one-man operation now sets technological standards in the fields of welding technology, photovoltaics and battery charging. Today, the company has around 3,800 employees worldwide and 1,242 patents for product development show the innovative spirit within the company. Sustainable development means for us to implement environmentally relevant and social aspects equally with economic factors. Our goal has remained constant throughout: to be the innovation leader.

Further information about all Fronius products and our global sales partners and representatives can be found at www.fronius.com

v08 Aug 2017 EN

Fronius India Private Limited GAT no 312, Nanekarwadi Chakan, Taluka - Khed District Pune 410501 India Telephone + 91 98 20 60 52 07 sales.india@fronius.com www.fronius.in

Fronius USA LLC 6797 Fronius Drive Portage, IN 46368 USA Telephone +1 877 FRONIUS sales.usa@fronius.com www.fronius-usa.com Fronius (Thailand) Ltd. Pinthong Industrial Estate I 789/193 Moo 1, Sriracha, Chonburi 20230 Building: P17/B1 Thailand sales.Thailand@fronius.com www.fronius.co.th

Fronius UK Limited Maidstone Road, Kingston

Milostone Koad, Kingston Milton Keynes, MK10 0BD United Kingdom Telephone +44 1908 512 300 Fax +44 1908 512 329 info-uk@fronius.com www.fronius.co.uk

Fronius Middle East FZE

P.O. Box: 263241 Jebel Ali / JAFZA ONE BUILDING Dubai / U.A.E Telephone +971 (0) 56 499 8224 contact.middleeast@fronius.com www.fronius.ae/pw

Fronius International GmbH Froniusplatz 1 4600 Wels Austria Telephone +43 7242 241-0 Fax +43 7242 241-953940 sales@fronius.com www.fronius.com